

|   | Type | Hits | Search Text   | DBs  | Time Stamp          | Comments |
|---|------|------|---|--|---------------------|----------|
| 1 | BRS  | 0    | test\$3 with construct\$3<br>with perform\$4 with<br>specification\$1 with<br>amtch\$3                            | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM TDB | 2005/02/16<br>16:33 |          |
| 2 | BRS  | 0    | test\$3 with construct\$3<br>same perform\$4 with<br>specification\$1 with<br>mtch\$3                             | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM TDB | 2005/02/16<br>16:33 |          |
| 3 | BRS  | 1130 | test\$3 with construct\$3<br>and perform\$4 with<br>specification\$1  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM TDB | 2005/02/16<br>16:33 |          |
| 4 | BRS  | 5    | test\$3 with construct\$3<br>same perform\$4 with<br>specification\$1 same<br>match\$3                            | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM TDB | 2005/02/16<br>16:35 |          |
| 5 | BRS  | 81   | test\$3 with construct\$3<br>same perform\$4 with<br>specification\$1   | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM TDB | 2005/02/16<br>16:35 |          |
| 6 | BRS  | 0    | test\$3 with construct\$3<br>same perform\$4 with<br>specification\$1 and (sat<br>or gre or gmat) with<br>test\$3 | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2005/02/16<br>16:36 |          |

|    | Type | Hits | Search Text  | DBs  | Time Stamp          | Comments |
|----|------|------|--|--|---------------------|----------|
| 7  | BRS  | 2    | test\$3 with construct\$3<br>and perform\$4 with<br>specification\$1 and (sat<br>or gre or gmat) with<br>test\$3 | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2005/02/16<br>16:36 |          |
| 8  | BRS  | 1    | "5870731".PN.  | USPAT; USOCR   | 2005/02/16<br>16:46 |          |
| 9  | BRS  | 1    | "5829983".PN.  | USPAT; USOCR   | 2005/02/16<br>16:46 |          |
| 10 | BRS  | 1    | "5810605".PN.  | USPAT; USOCR   | 2005/02/16<br>16:47 |          |
| 11 | BRS  | 1    | "5597311".PN.  | USPAT; USOCR   | 2005/02/16<br>16:47 |          |
| 12 | BRS  | 1    | "5565316".PN.  | USPAT; USOCR   | 2005/02/16<br>16:47 |          |
| 13 | BRS  | 1    | "4895518".PN.  | USPAT; USOCR   | 2005/02/16<br>16:48 |          |
| 14 | BRS  | 1    | "5261823".PN.  | USPAT; USOCR   | 2005/02/16<br>16:48 |          |
| 15 | BRS  | 1079 | 434/118,323,358,362.cc1s.  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2005/02/17<br>08:56 |          |
| 16 | BRS  | 5    | 434/118,323,358,362.cc1s.<br>and select\$3 with test\$1<br>and updat\$3 with evaluat\$3<br>with test\$1          | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2005/02/17<br>15:30 |          |

|    | Type | Hits | Search Text  | DBs  | Time Stamp          | Comments |
|----|------|------|--|--|---------------------|----------|
| 17 | BRS  | 6    | "434"/\$.ccls. and select\$3<br>with test\$1 and updat\$3<br>with evaluat\$3 with test\$1<br>with statistic\$4                 | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM TDB | 2005/02/17<br>11:42 |          |
| 18 | BRS  | 5    | 434/118,323,358,362.ccls.<br>and select\$3 with test\$1<br>and updat\$3 with evaluat\$3<br>with test\$1 with<br>statistic\$4   | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM TDB | 2005/02/17<br>09:44 |          |
| 19 | BRS  | 6    | "434"/\$.ccls. and select\$3<br>with test\$1 and updat\$3<br>with evaluat\$3 with test\$1<br>with statistic\$4 and<br>revis\$3 | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM TDB | 2005/02/17<br>11:30 |          |
| 20 | BRS  | 0    | "434"/\$.ccls. and<br>psychometric with<br>specification\$1  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM TDB | 2005/02/17<br>08:53 |          |
| 21 | BRS  | 12   | psychometric with<br>specification\$1  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM TDB | 2005/02/17<br>08:56 |          |
| 22 | BRS  | 1367 | content\$1 adj<br>specification\$1   | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM TDB | 2005/02/17<br>08:57 |          |

|    | Type | Hits | Search Text   | DBs  | Time Stamp          | Comments |
|----|------|------|---|--|---------------------|----------|
| 23 | BRS  | 1651 | 434/118,323,358,362,350,32<br>2.ccls.   | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM TDB | 2005/02/17<br>08:56 |          |
| 24 | BRS  | 2    | 434/118,323,358,362,350,32<br>2.ccls. and construct\$3<br>with test\$1 and content\$1<br>adj specification\$1 | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM TDB | 2005/02/17<br>08:59 |          |
| 25 | BRS  | 33   | 434/118,323,358,362,350,32<br>2.ccls. and psychometric  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM TDB | 2005/02/17<br>09:02 |          |
| 26 | BRS  | 15   | 434/118,323,358,362,350,32<br>2.ccls. and construct\$3<br>with test\$1 and<br>psychometric\$4                 | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM TDB | 2005/02/17<br>09:00 |          |
| 27 | BRS  | 5    | 434/118,323,358,362,350,32<br>2.ccls. and construct\$3<br>with test\$1 same<br>psychometric\$4                | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM TDB | 2005/02/17<br>09:41 |          |
| 28 | BRS  | 5    | "434"/\$.ccls. and<br>construct\$3 with test\$1<br>same psychometric\$4                                       | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM TDB | 2005/02/19<br>11:10 |          |

|    | Type | Hits | Search Text  | DBs  | Time Stamp          | Comments |
|----|------|------|--|--|---------------------|----------|
| 29 | BRS  | 0    | 434/118,323,358,362,350,32<br>2.ccls. and psychometric<br>with specification\$1  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM TDB | 2005/02/17<br>09:02 |          |
| 30 | BRS  | 0    | 434/118,323,358,362,350,32<br>2.ccls. and psychometric<br>same specification\$1  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM TDB | 2005/02/17<br>09:02 |          |
| 31 | BRS  | 8    | 434/118,323,358,362,350,32<br>2.ccls. and construct\$3<br>with test\$1 same<br>(intelligence or<br>psychometric\$4 or<br>personalit\$3 or<br>vocation\$4)  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM TDB | 2005/02/17<br>09:41 |          |
| 32 | BRS  | 25   | 434/118,323,358,362,350,32<br>2.ccls. and construct\$3<br>with test\$1 same<br>(intelligen\$2 or<br>psychometric\$4 or<br>personalit\$3 or<br>vocation\$4) | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM TDB | 2005/02/17<br>09:42 |          |

|    | Type | Hits | Search Text  | DBs  | Time Stamp          | Comments |
|----|------|------|--|--|---------------------|----------|
| 33 | BRS  | 16   | 434/118,323,358,362,350,32<br>2.ccls. and construct\$3<br>with test\$1 same<br>(intelligen\$2 or<br>psychometric\$4 or<br>personalit\$3 or<br>vocation\$4) and content\$1<br>with test\$1  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2005/02/17<br>09:42 |          |
| 34 | BRS  | 18   | "434"/\$.ccls. and<br>construct\$3 with test\$1<br>same (intelligen\$2 or<br>psychometric\$4 or<br>personalit\$3 or<br>vocation\$4) and content\$1<br>with test\$1   | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2005/02/17<br>09:43 |          |
| 35 | BRS  | 1    | 434/118,323,358,362.ccls.<br>and select\$3 with test\$1<br>and updat\$3 with evaluat\$3<br>with test\$1 with<br>statistic\$4 and<br>(intelligen\$2 or<br>psychometric\$4 or<br>personalit\$3 or<br>vocation\$4) and content\$1<br>with test\$1 | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2005/02/17<br>09:48 |          |

|    | Type | Hits | Search Text   | DBs  | Time Stamp          | Comments |
|----|------|------|---|--|---------------------|----------|
| 36 | BRS  | 1    | "434"/\$.ccls. and select\$3<br>with test\$1 and updat\$3<br>with evaluat\$3 with test\$1<br>with statistic\$4 and<br>(intelligen\$2 or<br>psychometric\$4 or<br>personalit\$3 or<br>vocation\$4) with test\$1<br>and content\$1 with test\$1 | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2005/02/17<br>09:48 |          |
| 37 | BRS  | 0    | select\$3 with test\$1 and<br>updat\$3 with evaluat\$3<br>with test\$1 with<br>statistic\$4 and<br>(intelligen\$2 or<br>psychometric\$4 or<br>personalit\$3 or<br>vocation\$4) adj test\$1 and<br>content\$1 with test\$1                     | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2005/02/17<br>09:48 |          |
| 38 | BRS  | 1    | select\$3 with test\$1 and<br>updat\$3 with evaluat\$3<br>with test\$1 with<br>statistic\$4 and<br>(intelligen\$2 or<br>psychometric\$4 or<br>personalit\$3 or<br>vocation\$4) with test\$1<br>and content\$1 with test\$1                    | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2005/02/17<br>09:48 |          |

|    | Type | Hits | Search Text   | DBs  | Time Stamp          | Comments |
|----|------|------|---|--|---------------------|----------|
| 39 | BRS  | 10   | 434/118,323,358,362.ccls.<br>and construct\$3 with<br>test\$1 same (intelligen\$2<br>or psychometric\$4 or<br>personalit\$3 or<br>vocation\$4) and content\$1<br>with test\$1 | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2005/02/17<br>09:55 |          |
| 40 | BRS  | 1034 | 702/182.ccls.   | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2005/02/17<br>09:52 |          |
| 41 | BRS  | 1    | 434/118,323,358,362.ccls.<br>and construct\$3 with<br>test\$1 with (intelligen\$2<br>or psychometric\$4 or<br>personalit\$3 or<br>vocation\$4) and content\$1<br>with test\$1 | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2005/02/17<br>09:56 |          |
| 42 | BRS  | 6    | "434"/\$.ccls. and select\$3<br>with test\$1 and updat\$3<br>with evaluat\$3 with test\$1<br>with statistic\$4 and (new<br>or revis\$3) with test\$1                          | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2005/02/17<br>10:07 |          |



| Type      | Hits | Search Text  | DBs  | Time Stamp          | Comments |
|-----------|------|--|--|---------------------|----------|
| 43<br>BRS | 1    | "434"/\$.ccls. and select\$3 with test\$1 and updat\$3 with evaluat\$3 with test\$1 with statistic\$4 and (new or revis\$3) with test\$1 and (intelligen\$2 or psychometric\$4 or personalit\$3 or vocation\$4) with test\$1 | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2005/02/17<br>11:07 |          |
| 44<br>BRS | 5    | "434"/\$.ccls. and specification\$1 with match\$3 with test\$1   | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2005/02/17<br>11:08 |          |
| 45<br>BRS | 176  | "434"/\$.ccls. and construct\$3 with test\$1 select\$3 with test\$1 and updat\$3 with evaluat\$3 with test\$1 with statistic\$4 and revis\$3   | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2005/02/17<br>11:32 |          |
| 46<br>BRS | 6    | "434"/\$.ccls. and construct\$3 with test\$1 and select\$3 with test\$1 and updat\$3 with evaluat\$3 with test\$1 with statistic\$4 and revis\$3   | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2005/02/17<br>11:34 |          |

|    | Type | Hits | Search Text  | DBs  | Time Stamp          | Comments |
|----|------|------|--|--|---------------------|----------|
| 47 | BRS  | 6    | "434"/\$.ccls. and<br>construct\$3 with test\$3<br>and select\$3 with test\$3<br>and updat\$3 with evaluat\$3<br>with statistic\$4 | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2005/02/17<br>12:48 |          |
| 48 | BRS  | 1    | "5870731".PN.  | USPAT; USOCR   | 2005/02/17<br>11:46 |          |
| 49 | BRS  | 1    | "434"/\$.ccls. and<br>construct\$3 with test\$3<br>and match\$3 with test\$3<br>with item\$1 with<br>specification\$1              | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2005/02/17<br>13:21 |          |
| 50 | BRS  | 4    | "434"/\$.ccls. and<br>construct\$3 with test\$3<br>and select\$3 with test\$3<br>with item\$1 with<br>database\$1                  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2005/02/17<br>12:49 |          |
| 51 | BRS  | 0    | "434"/\$.ccls. and<br>construct\$3 with test\$3<br>and display\$3 with<br>select\$3 with test\$3 with<br>item\$1 with database\$1  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2005/02/17<br>12:50 |          |
| 52 | BRS  | 0    | "434"/\$.ccls. and<br>construct\$3 with test\$3<br>and display\$3 with<br>select\$3 with test\$3 with<br>database\$1               | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2005/02/17<br>12:50 |          |

|    | Type | Hits | Search Text  | DBs  | Time Stamp          | Comments |
|----|------|------|--|--|---------------------|----------|
| 53 | BRS  | 0    | "434"/\$.ccls. and<br>construct\$3 with test\$3<br>and display\$3 with<br>select\$3 with item\$1 with<br>database\$1         | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2005/02/17<br>12:50 |          |
| 54 | BRS  | 12   | construct\$3 with test\$3<br>and display\$3 with<br>select\$3 with item\$1 with<br>database\$1                               | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2005/02/17<br>12:50 |          |
| 55 | BRS  | 4    | construct\$3 with test\$3<br>and display\$3 with<br>select\$3 with test\$3 with<br>item\$1 with database\$1                  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2005/02/17<br>12:52 |          |
| 56 | BRS  | 0    | construct\$3 with test\$3<br>and display\$3 with<br>select\$3 with check\$3 with<br>test\$3 with item\$1 with<br>database\$1 | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2005/02/17<br>12:51 |          |
| 57 | BRS  | 4    | construct\$3 with test\$3<br>and display\$3 with<br>select\$3 with test\$3 with<br>item\$1 with database\$1 and<br>check\$3  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2005/02/17<br>12:52 |          |

|    | Type | Hits | Search Text  | DBs  | Time Stamp          | Comments |
|----|------|------|--|--|---------------------|----------|
| 58 | BRS  | 2    | "434"/\$.ccls. and<br>construct\$3 with test\$3<br>and select\$3 with test\$3<br>with item\$1 and display\$3<br>with database\$1 and<br>check\$3 | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2005/02/17<br>12:55 |          |
| 59 | BRS  | 21   | "5827070".uref.  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2005/02/17<br>12:56 |          |
| 60 | BRS  | 10   | "5827070".uref. and test\$3<br>with instruct\$4  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2005/02/17<br>13:15 |          |
| 61 | BRS  | 7    | "5827070".uref. and test\$3<br>with instruct\$4 and<br>specification\$1  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2005/02/17<br>13:15 |          |
| 62 | BRS  | 7    | "5827070".uref. and test\$3<br>with instruct\$4 and<br>specification\$1 and<br>display\$3 and select\$3  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2005/02/17<br>13:15 |          |

|    | Type | Hits | Search Text  | DBs  | Time Stamp          | Comments |
|----|------|------|--|--|---------------------|----------|
| 63 | BRS  | 4    | "434"/\$.ccls. and<br>construct\$3 with test\$3<br>and (remov\$3 or delet\$3 or<br>add\$3 or adjust\$3 or<br>replac\$3) with<br>specification\$1             | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2005/02/17<br>13:23 |          |
| 64 | BRS  | 7    | "434"/\$.ccls. and<br>construct\$3 with test\$3<br>and (remov\$3 or delet\$3 or<br>add\$3 or adjust\$3 or<br>replac\$3 or updat\$3) with<br>specification\$1 | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2005/02/17<br>13:24 |          |
| 65 | BRS  | 2435 | 434/118,322-<br>325,337,350,353-<br>362,365.ccls.  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2005/02/17<br>15:32 |          |
| 66 | BRS  | 2977 | 707/100.ccls.  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2005/02/17<br>15:32 |          |
| 67 | BRS  | 0    | 702/183.ccls. and<br>computer-readable adj<br>medium   | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2005/02/19<br>10:06 |          |

|    | Type | Hits | Search Text  | DBs  | Time Stamp          | Comments |
|----|------|------|--|--|---------------------|----------|
| 68 | BRS  | 1    | computer-readable adj<br>medium  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM TDB | 2005/02/19<br>10:06 |          |
| 69 | BRS  | 24   | 702/183.ccls. and<br>computer-readable adj<br>medium   | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM TDB | 2005/02/19<br>10:24 |          |
| 70 | BRS  | 15   | "702"/\$.ccls. and<br>computer-readable adj<br>medium with memory with<br>cd-rom with disk   | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM TDB | 2005/02/19<br>10:26 |          |
| 71 | BRS  | 0    | "702"/\$.ccls. and<br>computer-readable adj<br>medium with memory with<br>cd-rom with disk with<br>processor                               | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM TDB | 2005/02/19<br>10:26 |          |
| 72 | BRS  | 6    | "702"/\$.ccls. and<br>computer-readable adj<br>medium with memory with<br>cd-rom with disk same<br>(processor or cpu or<br>microprocessor) | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM TDB | 2005/02/19<br>10:38 |          |
| 73 | BRS  | 0    | "702"/\$.ccls. and<br>computer-readable adj<br>medium adj (processor or<br>cpu or microprocessor)  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM TDB | 2005/02/19<br>10:39 |          |

|    | Type | Hits | Search Text  | DBs  | Time Stamp          | Comments |
|----|------|------|--|--|---------------------|----------|
| 74 | BRS  | 190  | "702"/\$.ccls. and computer-readable adj medium with (processor or cpu or microprocessor)                              | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM TDB | 2005/02/19<br>10:39 |          |
| 75 | BRS  | 0    | "434"/\$.ccls. and specification\$1 with content with psychometric\$4  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM TDB | 2005/02/19<br>11:11 |          |
| 76 | BRS  | 0    | "434"/\$.ccls. and specification\$1 same content\$1 same psychometric\$4   | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM TDB | 2005/02/19<br>11:12 |          |
| 77 | BRS  | 0    | construct\$3 with test\$3 and specification\$1 same content\$1 same psychometric\$4                                    | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM TDB | 2005/02/19<br>11:12 |          |
| 78 | BRS  | 734  | construct\$3 with test\$3 and specification\$1 same content\$1   | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM TDB | 2005/02/19<br>11:12 |          |
| 79 | BRS  | 8    | construct\$3 with test\$3 and specification\$1 same content\$1 same (personalit\$3 or intelligence or psychometric\$4) | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2005/02/19<br>11:15 |          |

|    | Type | Hits | Search Text   | DBs  | Time Stamp          | Comments |
|----|------|------|---|--|---------------------|----------|
| 80 | BRS  | 10   | construct\$3 with test\$3<br>and specification\$1 same<br>content\$1 same<br>(personalit\$3 or<br>intelligen\$2 or<br>psychometric\$4)                  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2005/02/19<br>11:32 |          |
| 81 | BRS  | 2    | "434"/\$.cccls. and<br>construct\$3 with test\$3<br>same content\$1 same<br>(personalit\$3 or<br>intelligence or<br>psychometric\$4)                    | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2005/02/19<br>11:32 |          |
| 82 | BRS  | 10   | construct\$3 with test\$3<br>and specification\$1 same<br>content\$1 same<br>(personalit\$3 or<br>intelligen\$2 or<br>psychometric\$4) and<br>cognit\$3 | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2005/02/19<br>11:32 |          |
| 83 | BRS  | 2    | "434"/\$.cccls. and<br>construct\$3 with test\$3<br>same content\$1 same<br>(personalit\$3 or<br>intelligence or<br>psychometric\$4) and<br>cognit\$3   | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB | 2005/02/19<br>11:33 |          |